

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

WINDOW STICKER

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS		Interior: - No color has been selected.
2.4L/146 CID Gas I4		Exterior 1: - No color has been selected.
4-Speed Automatic w/OD		Exterior 2: - No color has been selected.
CODE	MODEL	MSRP
	26402 2008 Hyundai Sonata 4dr Sdn I4 Auto GLS	\$18,870.00
OPTIONS		
01	STANDARD EQUIPMENT GROUP	\$0.00
—	STANDARD PAINT	\$0.00
CF	CARPETED FLOOR MATS	\$85.00
SUBTOTAL		\$18,955.00
	Advert/Adjustments	\$0.00
	Destination Charge	\$675.00
TOTAL PRICE		\$19,630.00
Est City: 21.00 mpg		
Est Highway: 30.00 mpg		
Est Highway Cruising Range: 531.00 mi		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

VEHICLE DETAILS

SELECTED MODEL - 2008 26402 4dr Sdn I4 Auto GLS

<u>Code</u>	<u>Description</u>	<u>Invoice</u>	<u>MSRP</u>
	26402 2008 Hyundai Sonata 4dr Sdn I4 Auto GLS	\$18,083.00	\$18,870.00

SELECTED VEHICLE COLORS - 2008 26402 4dr Sdn I4 Auto GLS

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 26402 4dr Sdn I4 Auto GLS

CATEGORY

<u>Code</u>	<u>Description</u>	<u>Invoice</u>	<u>MSRP</u>
OPTION PACKAGE			
01	STANDARD EQUIPMENT GROUP -inc: base vehicle only	\$0.00	\$0.00
PAINT			
___	STANDARD PAINT (STD)	\$0.00	\$0.00
PORT INSTALLED OPTIONS			
CF	CARPETED FLOOR MATS (PIO)	\$68.00	\$85.00
OPTIONS TOTAL		\$68.00	\$85.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

VEHICLE DETAILS

STANDARD EQUIPMENT - 2008 26402 4dr Sdn I4 Auto GLS

EPA FUEL ECONOMY RATING

- City 21/hwy 30 (2.4L engine/4-speed auto trans)

EXTERIOR

- Body-color bumpers
- Body-color body-side moldings
- Body-color heated pwr mirrors
- Tinted glass
- Speed-sensitive variable intermittent windshield wipers
- Body-color door handles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

VEHICLE DETAILS

STANDARD EQUIPMENT - 2008 26402 4dr Sdn I4 Auto GLS

INTERIOR

- Cloth seating surfaces
- Front bucket seats w/active head restraints
- Rear 60/40 split-fold seats w/outboard headrests
- Dual tier console w/fixed armrest, storage, (2) cupholders
- Rear center armrest w/(2) cupholders
- Center console mounted 12-volt pwr outlet
- Full floor carpeting
- Door sill scuff plates
- Tilt steering wheel
- Instrumentation-inc: tachometer, coolant temp, trip odometer, digital clock
- Warnings-inc: oil pressure, battery, door ajar, trunk open, brake, check engine
- Tire pressure monitoring system (TPMS)
- Pwr windows w/driver auto up/down, pinch protection, lockout
- Pwr door locks
- Remote keyless entry system w/alarm
- Remote fuel/hood release
- Cruise control
- AM/FM/XM stereo w/CD/MP3 player-inc: (6) speakers
- In-glass antenna
- Air conditioning w/cabin air filter
- Rear window defroster
- Locking glovebox
- Cloth door trim
- Map pockets
- Assist grips

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

VEHICLE DETAILS

STANDARD EQUIPMENT - 2008 26402 4dr Sdn I4 Auto GLS

- Lighting-inc: dome, ignition, glovebox, map
- Seatback pockets
- Rear coat hanger

MECHANICAL

- 2.4L DOHC CVVT 16-valve I4 engine
- 4-speed automatic transmission w/OD, Shiftronic
- Shift interlock system
- Traction control system (TCS) w/electronic stability control (ESC)
- Front wheel drive
- Independent double-wishbone front suspension w/gas shocks
- Independent multi-link rear suspension w/gas shocks
- Front/rear stabilizer bars
- P215/60VR16 all-season tires
- 16" x 6.5" steel wheels w/covers
- Compact spare tire
- Pwr rack & pinion steering w/engine-speed-sensing
- 4-wheel disc brakes
- 4-wheel anti-lock brakes (ABS) w/electronic brake force distribution (EBD), brake assist

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

VEHICLE DETAILS

STANDARD EQUIPMENT - 2008 26402 4dr Sdn I4 Auto GLS

SAFETY

- 4-wheel anti-lock brakes (ABS) w/electronic brake force distribution (EBD), brake assist
- Driver/front passenger advanced airbags
- Driver/front passenger seat-mounted side-impact airbags
- Front/rear side-curtain airbags
- 3-point seatbelts for all seating positions
- Front seat belt pretensioners & force limiters
- Emergency internal trunk release
- Lower/upper anchors & tethers for children (LATCH) system
- Traction control system (TCS) w/electronic stability control (ESC)
- Shift interlock system
- Energy-absorbing steering column
- Front/rear crumple zones
- Body-side reinforcements
- Hood buckling creases & safety stops

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

WARRANTY INFORMATION

WARRANTY INFORMATION - 2008 26402 4dr Sdn I4 Auto GLS

WARRANTY

Basic:

5 Years/60,000 Miles

Drivetrain:

10 Years/100,000 Miles

Corrosion:

7 Years/Unlimited Miles

Roadside Assistance:

5 Years/Unlimited Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2008 26402 4dr Sdn I4 Auto GLS

ENGINE

Engine Order Code	
Engine Type	Gas I4
Displacement	2.4L/146 CID
SAE Net Horsepower @ RPM	162 @ 5800
SAE Net Torque (lb ft) @ RPM	164 @ 4250

TRANSMISSION

Transmission order code	
Transmission Type Description	4-Speed Automatic w/OD
Drive Train	Front Wheel Drive

MILEAGE

City EPA fuel economy estimate	21.00
Hwy EPA fuel economy estimate	30.00
City cruising range	371.70
Hwy cruising range	531.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2008 26402 4dr Sdn I4 Auto GLS

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	2.84
Second Gear Ratio (:1)	1.52
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.71
Reverse Ratio (:1)	2.48
Clutch size (in)	
Final Drive Axle Ratio (:1)	3.77

ELECTRICAL

Battery	1
Battery cold cranking Amps @ 0 F	
Alternator	
Alternator Amps	110.00

COOLING SYSTEM

Cooling system capacity	7.30
-------------------------	------

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2008 26402 4dr Sdn I4 Auto GLS

WEIGHT INFORMATION

Base curb weight 3,266.00

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lb)	1,500.00	150.00
Weight Distributing Hitch (lb)		

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2008 Hyundai Sonata 4dr Sdn I4 Auto GLS 26402

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2008 26402 4dr Sdn I4 Auto GLS

EXTERIOR DIMENSIONS

Wheelbase (in)	107.40
Length, Overall (in)	188.90
Width, Max w/o mirrors (in)	72.10
Height, Overall (in)	58.00
Tread Width	
Tread Width, Front	62.0
Tread Width, Rear	61.4
Min Ground Clearance (in)	- TBD -

CARGO AREA DIMENSIONS

Liftover Height (in)	
Trunk Volume	16.3

INTERIOR DIMENSIONS

Passenger Capacity	5	
Passenger Volume (ft³)	105.40	
EPA Classification	Large	
Seating Position	Front	Second
Head Room (in)	40.10	38.20
Leg Room (in)	43.70	37.40
Shoulder Room (in)	57.40	56.90
Hip Room (in)	55.50	55.30

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 140.0, Data updated 11/4/2008 4:41:00 PM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File: